

## Reference

- Bloomfield SA, Dacheux RF. (2001) Rod vision: pathways and processing in the mammalian retina. *Prog. Retin. Eye Res.* 20(3):351-384.
- Boycott BB, Hopkins JM, Sperling HG. (1987) Cone connections of the horizontal cells of the rhesus monkey's retina. *Proc. R. Soc. Lond. B Biol. Sci.* 229(1257):345-379.
- Boycott BB, Wassle H. (1991) Morphological Classification of Bipolar Cells of the Primate Retina. *Eur. J. Neurosci.* 3(11):1069-1088.
- Caldwell JH, Daw NW. (1978) New properties of rabbit retinal ganglion cells. *J. Physiol.* 276:257-276.
- Calkins DJ, Schein SJ, Tsukamoto Y, Sterling P. (1994) M and L cones in macaque fovea connect to midgen ganglion cells by different numbers of excitatory synapses. *Nature* 371(6492):70-72.
- Calkins DJ, Tsukamoto Y, Sterling P. (1998) Microcircuitry and mosaic of a blue-yellow ganglion cell in the primate retina. *J. Neurosci.* 18(9):3373-3385.
- Citron MC, Emerson RC, Levick WR. (1988) Nonlinear measurement and classification of receptive fields in cat retinal ganglion cells. *Ann. Biomed. Eng.* 16(1):65-77.
- Conway BR. (2001) Spatial structure of cone inputs to color cells in alert macaque primary visual cortex (V-1). *J. Neurosci.* 21(8):2768-2783.

- Dacey DM. (1993) The mosaic of midget ganglion cells in the human retina. *J. Neurosci.* 13(12):5334-5355.
- Dacey DM. (1999) Primate retina: cell types, circuits and color opponency. *Prog. Retin. Eye Res.* 18(6):737-763.
- Dacey DM. (2000) Parallel pathways for spectral coding in primate retina. *Annu. Rev. Neurosci.* 23:743-775.
- Dacey DM, Lee BB. (1994) The 'blue-on' opponent pathway in primate retina originates from a distinct bistratified ganglion cell type. *Nature* 367(6465):731-735.
- Dacey DM, Lee BB, Stafford DK, Pokorny J, Smith VC. (1996) Horizontal cells of the primate retina: cone specificity without spectral opponency. *Science* 271(5249):656-659.
- Dacey DM, Packer OS. (2003) Colour coding in the primate retina: diverse cell types and cone-specific circuitry. *Curr. Opin. Neurobiol.* 13(4):421-427.
- Dacey DM, Peterson BB, Robinson FR, Gamlin PD. (2003) Fireworks in the primate retina: in vitro photodynamics reveals diverse LGN-projecting ganglion cell types. *Neuron* 37(1):15-27.
- Dacheux RF, Raviola E. (1986) The rod pathway in the rabbit retina: a depolarizing bipolar and amacrine cell. *J. Neurosci.* 6(2):331-345.
- DeMonasterio FM. (1978) Spectral interaction in horizontal and ganglion cells of the isolated


arterially-perfused rabbit retina. Brain Res. 150:239-258.

Euler T, Schneider H, Wassle H. (1996) Glutamate responses of bipolar cells in a slice preparation of the rat retina. J. Neurosci. 16(9):2934-2944.

Euler T, Wassle H. (1995) Immunocytochemical identification of cone bipolar cells in the rat retina. J. Comp. Neurol. 361(3):461-478.

Famiglietti EV. (1990) A new type of wide-field horizontal cell, presumably linked to blue cones, in rabbit retina. Brain Res. 535(1):174-179.

Famiglietti EV, Jr. (1981) Functional architecture of cone bipolar cells in mammalian retina. Vision Res. 21(11):1559-1563.



Famiglietti EV, Jr., Kolb H. (1975) A bistratified amacrine cell and synaptic circuitry in the inner plexiform layer of the retina. Brain Res. 84(2):293-300.

Famiglietti EV, Sharpe SJ. (1995) Regional topography of rod and immunocytochemically characterized "blue" and "green" cone photoreceptors in rabbit retina. Vis. Neurosci. 12(6):1151-1175.

Hack I, Peichl L. (1999) Horizontal cells of the rabbit retina are non-selectively connected to the cones. Eur. J. Neurosci. 11(7):2261-2274.

Hack I, Peichl L, Brandstatter JH. (1999) An alternative pathway for rod signals in the rodent retina:

rod photoreceptors, cone bipolar cells, and the localization of glutamate receptors. *Proc. Natl. Acad. Sci. U S A* 96(24):14130-14135.

Herr S, Klug K, Sterling P, Schein S. (2003) Inner S-cone bipolar cells provide all of the central elements for S cones in macaque retina. *J. Comp. Neurol.* 457(2):185-201.

Jacobs GH. (1998) A perspective on color vision in platyrrhine monkeys. *Vision Res.* 38(21):3307-3313.

Jeon CJ, Masland RH. (1995) A population of wide-field bipolar cells in the rabbit's retina. *J. Comp. Neurol.* 360(3):403-412.

Johnson EN, Hawken MJ, Shapley R. (2001) The spatial transformation of color in the primary visual cortex of the macaque monkey. *Nat. Neurosci.* 4(4):409-416.

Juliussen B, Bergstrom A, Rohlich P, Ehinger B, van Veen T, Szel A. (1994) Complementary cone fields of the rabbit retina. *Invest Ophthalmol. Vis. Sci.* 35(3):811-818.

Kouyama N, Marshak DW. (1992) Bipolar cells specific for blue cones in the macaque retina. *J. Neurosci.* 12(4):1233-1252.

Li W, Keung JW, Massey SC. (2004) Direct synaptic connections between rods and OFF cone bipolar cells in the rabbit retina. *J. Comp. Neurol.* 474(1):1-12.

MacNeil MA, Heussy JK, Dacheux RF, Raviola E, Masland RH. (1999) The shapes and numbers of

amacrine cells: matching of photofilled with Golgi-stained cells in the rabbit retina and comparison with other mammalian species. *J. Comp. Neurol.* 413(2):305-326.

MacNeil MA, Heussy JK, Dacheux RF, Raviola E, Masland RH. (2004) The population of bipolar cells in the rabbit retina. *J. Comp. Neurol.* 472(1):73-86.

MacNeil MA, Masland RH. (1998) Extreme diversity among amacrine cells: implications for function. *Neuron* 20(5):971-982.

Mariani AP. (1984) Bipolar cells in monkey retina selective for the cones likely to be blue-sensitive. *Nature* 308(5955):184-186.

Masland RH. (2001a). The fundamental plan of the retina. *Nat. Neurosci.* 4(9):877-886.

Masland RH. (2001b) Neuronal diversity in the retina. *Curr. Opin. Neurobiol.* 11(4):431-436.

McGille GS, Dacheux RF. (2001) Rabbit cone bipolar cells: correlation of their morphologies with whole-cell recordings. *Vis. Neurosci.* 18(5):675-685.

Nuboer JF. (1971) Spectral discrimination in a rabbit. *Doc. Ophthalmol.* 30:279-298.

Nuboer JF, Moed PJ. (1983) Increment-threshold spectral sensitivity in the rabbit. *J. Comp. Physiol. A* 151:353-358.

Nuboer JFW, vanNuys WM, Wortel JF. (1983) Cone system in the rabbit retina revealed by ERG-null-detection. *J. Comp. Physiol. A* 151:347-351.

- Peterson BB, Dacey DM. (2000) Morphology of wide-field bistratified and diffuse human retinal ganglion cells. *Vis. Neurosci.* 17(4):567-578.
- Pignatelli V, Strettoi E. (2004) Bipolar cells of the mouse retina: a gene gun, morphological study. *J. Comp. Neurol.* 476(3):254-266.
- Raviola E, Gilula NB. (1973) Gap junctions between photoreceptor cells in the vertebrate retina. *Proc. Natl. Acad. Sci. USA* 70(6):1677-1681.
- Rockhill RL, Daly FJ, MacNeil MA, Brown SP, Masland RH. (2002) The diversity of ganglion cells in a mammalian retina. *J. Neurosci.* 22(9):3831-3843.
- Roorda A, Metha AB, Lennie P, Williams DR. (2001) Packing arrangement of the three cone classes in primate retina. *Vision Res.* 41(10-11):1291-1306.
- Roorda A, Williams DR. (1999) The arrangement of the three cone classes in the living human eye. *Nature* 397(6719):520-522.
- Strettoi E, Dacheux RF, Raviola E. (1990) Synaptic connections of rod bipolar cells in the inner plexiform layer of the rabbit retina. *J. Comp. Neurol.* 295(3):449-466.
- Strettoi E, Masland RH. (1995) The organization of the inner nuclear layer of the rabbit retina. *J. Neurosci.* 15(1 Pt 2):875-888.
- Szel A, Juliusson B, Bergstrom A, Wilke K, Ehinger B, van Veen T. (1994) Reversed ratio of

color-specific cones in rabbit retinal cell transplants. *Brain Res. Dev. Brain Res.* 81(1):1-9.

Wassle H. (2004) Parallel processing in the mammalian retina. *Nat. Rev. Neurosci.* 5(10):747-757.

Young HM, Vaney DI. (1991) Rod-signal interneurons in the rabbit retina: 1. Rod bipolar cells. *J. Comp. Neurol.* 310(2):139-153.

