

6. 参考文献

- Allison, P. A. and Briggs, D. E. G., 1991a, Preface, in: *Taphonomy: Releasing the data locked in the fossil record* (Allison, P. A. and Briggs, D. E. G., eds.), Belhaven Press, A division of Pinter Publishers, London, pp. vii-x.
- Allison, P. A. and Briggs, D. E. G., 1991b, Taphonomy of nonmineralized tissues, in: *Taphonomy: Releasing the data locked in the fossil record* (Allison, P. A. and Briggs, D. E. G., eds.), Belhaven Press, A division of Pinter Publishers, London, pp. 25-70.
- Allison, P. A. and Briggs, D. E. G., 1991c, Taphonomy of soft-bodied animals, in: *The processes of fossilization* (Donovan, S. K., ed.), Plenum Press, New York, pp. 121-140.
- Briggs, D. E. G., 1996, Experimental taphonomy, *Palaaios* **10**, 539-550.
- Briggs, D. E. G., Erwin, D. H. and Collier, F. J.(eds.), 1994, *The fossils of the Burgess Shale*, Belhaven Press, A division of Pinter Publishers, London.
- Briggs, D. E. G. and Kear A. J., 1993, Fossilization of soft tissue in the laboratory, *Science* **259**, 1439-1442.
- Burton, F. D. and Wright, D., 1981, Sea water and its evolution, in: *The evolving earth* (Cocks, L. R. M., ed.), British Museum (Natural History), London and the Press Syndicate of University of Cambridge, pp. 89-102.
- Cadée, 1991, The history of taphonomy, in: *The processes of fossilization* (Donovan, S. K., ed.), Plenum Press, New York, pp. 3-21.
- Chen, D. F., Dong, W. Q., Qi, L., Chen, G. Q. and Chen, X. P., 2003, Possible REE constraints on the depositional and diagenetic environment of Doushantuo Formation phosphorites containing the earliest metazoan fauna, *Chemical Geology* **201**, 103-118.
- Chen, J. Y., Bottjer, D. J., Oliveri P., Dornbos, S. Q., Gao, F., Ruffins, S., Chi, H. M. and Li, C. W., 2004, Small bilaterian fossils from 40 to 55 million years before the Cambrian, *Science* **305**, 218-222
- Chen, J. Y., Oliveri, P., Li, C. W., Zhou, G. Q., Gao, F., Hagadorn, J. W. and Peterson, K. J., 2000, Precambrian animal diversity: putative phosphatized embryos from the Doushantuo Formation of China, *Proceedings of the National Academy of Sciences*, **97(9)**, 4457-4462.
- Efremov, I. A., 1940, Taphonomy: new branch of paleontology, *Pan-American Geologist* **74(2)**, 81-93.
- Francois, R., 2004, Palaeoclimate: Cool stratification, *Nature* **428**, 31-32.
- Föllmi, K. B., 1996, The phosphorus cycle, phosphogenesis and marine phosphate-rich deposits, *Earth-Science Reviews* **40**, 55-124.

- Gabbott, S. E., 1998, Taphonomy of the Ordovician Soom Shale Lagerstätte: an example of soft tissue preservation in clay minerals, *Palaeontology* **41**, 631-667.
- Gabbott, S. E., Norry, M. J., Aldredge, R. J. and Theron, J. N., 2001, Preservation of fossils in clay minerals: a unique example from the Upper Ordovician Soom Shale, South Africa, *Proceedings of the Yorkshire Geological Society* **53**, 237-244.
- Hoffman, P. F., Kaufman, A. J., Halverson, G. P. and Schrag, D. P., 1998, A Neoproterozoic Snowball, *Science* **281**, 1342-1346.
- Keil, R. G., Montlucon, D. B., Prahl, F. G., and Hedges, J. L., 1994, Sorptive preservation of labile organic matter in marine sediments, *Nature* **370**, 549-552.
- Li, C. W., Chen, J. Y. and Hua, T. E., 1998, *Science* **279**, 879-882.
- Lowenstein, T. K., Timofeeff, M. N., Brennan, S. T., Hardie, L. A., Demicco, R. V., 2001, *Science* **294**, 1086-1088.
- Lucas, J. and Prévôt, L. E., 1991, Phosphates and fossil Preservation, in: *Taphonomy: Releasing the data locked in the fossil record* (Allison, P. A. and Briggs, D. E. G., eds.), Belhaven Press, A division of Pinter Publishers, London, pp. 389-409.
- Martin, D., Briggs, D. E. G. and Parkes, R. J., 2003, Experimental mineralization of invertebrate eggs and preservation of Neoproterozoic embryos, *Geological Society of America* **31**, 39-42.
- Martin, D., Briggs, D. E. G. and Parkes, R. J., 2004, Experimental attachment of sediment particles to invertebrate eggs and preservation of soft-bodied fossils, *Journal of the Geological Society* **161**, 735-738.
- Orr, P. J., Briggs, D. E. G. and Kearns, S. L., 1998, Cambrian Burgess Shale animals replicated in clay minerals, *Science* **281**, 1173-1175.
- Petrovich, R., 2001, Mechanisms of fossilization of the soft-bodied and lightly armored faunas of the Burgess Shale and of some other classical localities, *American Journal of Science* **301**, 683-726.
- Schulz H. N. and Schulz H. D., 2005, Large sulfur bacteria and the formation of phosphorite, *Science* **307**, 416-417.
- Sigman, D. M., Jaccard, S. L. and Haug, G. H., 2004, Polar ocean stratification in a cold climate, *Nature* **428**, 59-63.
- Xiao, S. H., Knoll A. H., Yuan, X. L. and Poeschel C. H., 2004, Phosphatized multicellular algae in the Neoproterozoic Doushantuo Formation, China, and the early evolution of florideophyte red algae. *American Journal of Botany* **91**(2), 214-227.

Xiao, S. H., Zhang, Y. and Knoll A. H., 1998, Three-dimensional preservation of algae and animal embryos in a Neoproterozoic phosphorite. *Nature* **391**, 553-558.

陳從雲, 1984, 中國南方震旦—寒武紀磷塊岩礦床的地質特徵及成礦規律, 第五屆國際磷塊岩討論會論文集 **2**, 273-281.

楊衛東, 肖金凱, 于炳松, 方濤, 陳豐和魯曉鶯, 1997, 成磷期古海洋環境研究, in: 滇黔磷塊岩沈積學、地球化學與可持續開發戰略, 地質出版社, 北京, pp. 68-77.

戴永定 等著, 1994, 生物礦物學, 石油工業出版社.

